

LIVECLOSER TO NATURE

PORCELAIN | HEAVY DUTY FULL BODY | CERAMIC WALL AND FLOOR TILES

Who are we?

Founded by a passionate team of enthusiasts with more than 20 years of experience in the field of Porcelain and Ceramic tiles market, we, The Tile Experts Trading LLC, wish to take up the challenge of building an organized import pathway in the UAE building market, for Tiles consisting of Porcelain and Ceramic and related accessories. The members in our team have been associated with the top tile manufacturers in the UAE and have expertise and vast experience in marketing and sales in all B2B and B2C channels of the realm.

We are proud of our strengths, our experience, and our thorough knowledge of our field of expertise. Understanding the large properties of the propertiespulse of the market and the trends of change, we strive to identify the needs of our valuable clients with regards to tiles for floors, walls, outdoors and facades. We promise meeting timelines in sample submissions for your prestigious projects and delivering the products on time with the assurance of the best honest support for sales and after sales

Wishing to collaborate with you in your projects now and in the future for a mutually beneficial, lasting business

Our Thoughts

The concept, aesthetics and designs of floor and wall tiles are changing day by day at a pace hard to keep up with - both locally and globally. We, The Tile Experts, are here to help you understand the trends and to keep you up to speed with the ever-changing requirements in the construction market.

We are here to place ourselves in a space that will help us to use our experience and expertise to create a responsible import channel, representing reputed international overseas brands in the UAE market environment. This, we know, will certainly instil more confidence in the buyers regarding their sales and after sales experience. With this vision, we are now happy and proud to introduce one of the best rated manufacturing brands from India, The L Group to the UAE

Mission

To provide the best quality ceramic and porcelain tiles, sourced from the top end manufacturers around the globe.

To provide sales and after sales services to our clientele of builders, contractors, consultant engineers, interior designers and individual project owners at / above par with the best standards in the industry.

To focus on matching the best quality parameters for the products we provide.

To motivate ourselves as a team to keep abreast with the changing market tastes and requirements, move in line with the trends and to update our inventory accordingly.

To always strive to maintain a mutually beneficial and strong relationship with all our clients, trade partners, stakeholders, employees and the society at large.

Vision

To be successful in our mission and to be counted among the top trading companies of building materials in the Middle East in terms of quality of service, customer satisfaction and economic profitability to the stakeholders, maintaining our integrity and ensuring reliability.

Work with us, and you will work with seasoned professionals - vigilant of deadlines, and committed to exceeding client expectations. WEARE EASYTO WORK WITH.

Kindly read below the 10 reasons to love and choose us for your work:

- 1. High quality tiles, which adhere to strict quality parameters in accordance with ISO 10545-1 to 15
- 2. Representation of a factory with more than 100,000 m2 per day production capacity
- 3. Sample submission within 2 days for our standard products and 10-14 days for
- 4. Fast delivery schedules within 30-35 days of order confirmation
- 5. Customization of any design, as per your choice (MOQ Required)6. Experts only Team: Highly experienced management team with more than 20 years in UAE Construction market, supported by responsive and reliable sales $and\, support\, staff$
- 7. Capable of producing any size available in the industry
- 8. Competitive and fair pricings
- 9. Attention to details10. Reachable any time, round the clock

THE TILE **EXPERTS**

Company Values

- Integrity
- Knowledge
- Honesty
- Duty
- Accountability
- Self respect Transparency
- Customer satisfaction
- Employee happiness and
- Social Responsibility



Features



Low Water Absorption



Eco Friendly



Light Weight



Zero Maintenance



Flexural Strength



Abrasion Resiistance



Chemical Resistance



Heavy Duty Tiles



Frost Resistance



Stain Resistance



Thermal **Shock Resistance**



Wear Resistance




Fire Resistance



Low Water Absorption









Bedroom



Kitchen





Bathroom Livingroom Cabinets



and Door



Kitchen

Countertop



Staircase





Shelves Vanity Top





Omram Statuario



Regal Torano Statuario




L Lume Statuario



Calcutta Ap



Akhisar Onyx Light



Akhisar Onyx Beige





Onyx Ice



Rossa Crema



Wolf Dyna



Adalya Crema




Botticino Aurora



Gucci Crema





L Dayna Cloud



Autumn Vanilla



Angel Grey Light




Orobica Light



Orobica Grey



Executive Black



Angel Grey



Adalya Choco



Carolina Tiger Big



Preview of Carolina Tiger






Premio Peanut



Aznevil Grey



Aznevil White



Premio Flaxen



Preview of **Premio Flaxen**











Preview of Lume Statuario



Carara Imperial




Lume Statuario



Calacatta Honed



Carrara 96



Preview of Calacatta Honed








Statuario Stream



Snow Onyx Grey



Statuario Windy




Snow Onyx Pink



Mystery Onyx Grey



Norway Beige



Preview of Snow Onyx Grey





GLAZED MATT PORCELAIN & GLAZED POLISHED PORCELAIN



Bottochino Choco



Regal Onyx Copper Lighte



Nivea Crema



Desert Travertino



Bottochino Gold



Regal Onyx Copper



Preview of Nivea Crema



Blanco Ivery








Preview of Roman Marfi



Piatra Grey Light




Roman Marfil




Rapid Blanco



Lucas Steel



Preview of Rapid Blanco







Nivea Brown



Piatra Grey




Paradise Crack



Cloudy Aqua










Concrete Cliff



Runa Crema



Concrete Brown



Runa Bruno



Contesto Light



Runa Grey







GLAZED MATT PORCELAIN & GLAZED POLISHED PORCELAIN



Blanco Crema



Forever Cemento Crema



Harvest Copper Light




Harvest Copper



Antique Beige



Premio Gregio



Lino Abalone



Wood Jk




Antique Sepia




Premio Ash



Lino Trout



Veneer Wallnut







5005 Decor 1




5005 Decor




5002 Decor



5002 Decor 1



Ambres Light



Emprador Aqua











Rustico Crema



Rustico Umber



Rustico Silver




Rustico Ash



Preview of Rustico Crema + Umber





GLAZED MATT PORCELAIN & GLAZED POLISHED PORCELAIN



Pyrus Mela



Pyrus Pine



Redox Wenge



Kylis Griss



Pyrus Brown



Pyrus Barrique



Preview of Florest Beige



Florest Almond



Florest Beige







Barrique Bronze Light



Barrique Naturel



Barrique Nero Light



Barrique Nero



Barrique Bronze












Bellavista Beige



Bellavista Grey



Statuario Jupiter




Crash Gold Satuario



600x1200mm | CARVING











Dynamic Super White








Dynamic Iris



Dynamic Kota








Preview of **Dynamic Creama**



Dynamic Creama



Dynamic Almond




600x1200mm | GLOSSY



FULLBODY COLLECTIONS




Dynamic Dove



Dynamic Steel Grey



Dynamic Nero




Dynamic Black



Dynamic Jet Black





600x1200mm | RUSTIC



FULLBODY COLLECTIONS



Majestic Super White




Majestic Rock White




Majestic Iris




Majestic Kota



Majestic Quartz




Majestic Cream



Preview of Majestic Kota



Majestic Creama



Majestic Almond



600x1200mm | RUSTIC



FULLBODY COLLECTIONS



Majestic Dove



Majestic Steel Grey




Majestic Nero



Majestic Black



Majestic Jet Black












FULLBODY COLLECTIONS



Royal Super White



Rock White



Royal Iris



Royal Kota








Preview of Royal Iris









Rock Almond








Rock Dove



Royal Steel Grey




Rock Nero




Rock Black



Royal Jet Black










Dynamic Sandy








Dynamic Super White Dynamic Dove




Dynamic Iris











Rock Sandy



Rock Gold



Rock Choco



Rock Dove




Rock Nero




Royal Iris




Royal Super White




Royal Steel Grey




Royal Jet Black













Rock Brown Step



Rock Silver Step





Rock Grey Step



Rock Black Step









Rock White



Rock White (Step)	300x1200mm
-------------------	------------



Rock Choco



Rock Choco (Step) 300x1200mm









Rock Black



Rock Black (Step) 300x1200mm



Rock Black (Riser) 200x1200mm

Rock Creama



Rock Creama (Riser) 200x1200mm

Rock Almond




Rock Almond (Step) 300x1200mm



Rock Almond (Riser) 200x1200mm

Preview of Rock Nero



Rock Quartz



Rock Quartz (Step) 300x1200mm



Rock Quartz (Riser) 200x1200mm

Rock Dove




Rock Dove (Step) 300x1200mm



Rock Dove (Riser) 200x1200mm



300x600mm | GLOSSY



CERAMIC WALL COLLECTIONS

THE TILE EXPERTS

6034

6034 L





6034 HL1





6009



6009 HL

5083



5083 L





5083 D 508

5111



5111 HL 3



5111 D 5111 F

5130



5130 HI 1



6040

6040 HL 4



Preview of **6040**



300x600mm | GLOSSY



CERAMIC WALL COLLECTIONS



Jb 1555

5003

5003 L









5003 D 5003 F

Aarna





Aarna L







Aarna F

Aarna Decor 2 Aarna D

6015





6015 HL1 6015 L







6015 HL 2 6015 D 6015 F

Alaska





Job 1522



Jb 1555 HL 1



TECHNICAL SPECIFICATION OF GLAZED MATT & POLISHED TILE

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018	THE VALUE STANDARDS WE FOCUS ON	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.3%	± 0.03%	ISO-10545-2
Deviation in Thickness	± 5.0%	± 0.70%	ISO-10545-2
Deviation of Straightness in both side	± 0.3%	± 0.07%	ISO-10545-2
Rectangularity	± 0.3%	± 0.05%	ISO-10545-2
SURFACE FLATNESS			
Centre Curvature	± 0.4%	± 0.03%	ISO-10545-2
Edge Curvature of Length	± 0.4%	± 0.03%	ISO-10545-2
Edge Curvature of Width	± 0.4%	± 0.05%	ISO-10545-2
Glossiness	As per mfg.	Min 85%	GLOSSYMETER
PHYSICAL PROPERTIES			
Water absorption	0.50%	0.05%	ISO-10545-3
Modulus of repture	35 N/mm²	Min. 40 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1700 N	ISO-10545-4
Impact resistance	Min. 0.55	Min. 0.80	ISO-10545-5
Surface abrasion resistance	As per mfg.	Min. Class-4	ISO-10545-7
Thermal expansion(COE)	As per mfg.	Max. 6.5 x 10-6	ISO-10545-8
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Max 0.6 mm/n	0.01	ISO-10545-10
Crazing Resistance	No damage	No damage	ISO-10545-11
Frost resistance	No damage	No damage	ISO-10545-12
Color difference	<0.75	0.4	ISO-10545-16
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
Lead & Cafmium given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15
SAFETY PROPERTIES			
Fire resistance	As per mfg.	Fireproof	N.A.

TECHNICAL SPECIFICATION OF FULLBODY TILE

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018	THE VALUE STANDARDS WE FOCUS ON	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.3%	± 0.03%	ISO-10545-2
Deviation in Thickness	± 5.0%	± 0.03%	ISO-10545-2
Deviation of Straightness in both side	± 0.3%	± 0.05%	ISO-10545-2
Rectangularity	± 0.3%	± 0.05%	ISO-10545-2
SURFACE FLATNESS			
Centre Curvature	± 0.4%	± 0.04%	ISO-10545-2
Edge Curvature of Length	± 0.4%	± 0.05%	ISO-10545-2
Edge Curvature of Width	± 0.4%	± 0.05%	ISO-10545-2
Surface Quality	As per mfg.	Min 95%	ISO-10545-2
PHYSICAL PROPERTIES			
Water absorption	0.50%	0.05%	ISO-10545-3
Modulus of repture	35 N/mm²	Min. 36 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2100 N	ISO-10545-4
Impact resistance	Min. 0.55	Min. 0.83	ISO-10545-5
Surface abrasion resistance	As per mfg.	Min. Class-4	ISO-10545-7
Thermal expansion(COE)	As per mfg.	Max. 3.15 x 10-6	ISO-10545-8
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Max 0.6 mm/n	0.02	ISO-10545-10
Crazing Resistance	No damage	No damage	ISO-10545-11
Frost resistance	No damage	No damage	ISO-10545-12
Color difference	<0.75	0.4	ISO-10545-16
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Fire resistance	As per mfg.	Fireproof	N.A.

TECHNICAL SPECIFICATION OF CERAMIC WALL TILES

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018	THE VALUE STANDARDS WE FOCUS ON	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.3%	± 0.04%	ISO-10545-2
Deviation in Thickness	± 10.0%	± 0.50%	ISO-10545-2
Deviation of Straightness in both side	± 0.3%	± 0.05%	ISO-10545-2
Rectangularity	± 0.3%	± 0.07%	ISO-10545-2
SURFACE FLATNESS			
Centre Curvature	± 0.4%	± 0.03%	ISO-10545-2
Edge Curvature of Length	± 0.4%	± 0.04%	ISO-10545-2
Edge Curvature of Width	± 0.4%	± 0.07%	ISO-10545-2
Surface Quality	As per mfg.	Min 95%	ISO-10545-2
PHYSICAL PROPERTIES			
Water absorption	>10.00%	13.30%	ISO-10545-3
Modulus of repture	12 N/mm²	Min. 13.6 N/mm²	ISO-10545-4
Breaking strength	Min. 600 N	Min. 615 N	ISO-10545-4
Impact resistance	Min. 0.55	Min. 0.65	ISO-10545-5
Surface abrasion resistance	As per mfg.	Min. Class-4	ISO-10545-7
Thermal expansion(COE)	As per mfg.	Max. 5.80 x 10-6	ISO-10545-8
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Max 0.6 mm/n	0.02	ISO-10545-10
Crazing Resistance	No damage	No damage	ISO-10545-11
Frost resistance	No damage	No damage	ISO-10545-12
Color difference	<0.75	0.35	ISO-10545-16
CHEMICAL PROPERTIES			
House Hold Chemical resistance	Min. Class B (v)	No damage	ISO-10545-13
Acid & Alkalies	Min. Class LB (v)	No damage	ISO-10545-13
Stain resistance	Min. Class 3	No damage	ISO-10545-14
Lead & Cafmium given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15
SAFETY PROPERTIES			
Fire resistance	As per mfg.	Fireproof	N.A.



LIVENZA BS EN 14411



LIVENZA CE



LIVENZA ISO 9001



LIVENZA ISO 14001



LIVENZA ISO 45001



GROUP OF COMPANIES

















The Tile Experts LLC

Office 1003, SIT Tower DSO, Dubai UAE

Tel Office: 009714 3969272

At. Rangpar, Jetpar Road Morbi - 363642 ,Gujarat India

support@thetilexperts.com www.thetilexperts.com

